BRAIN RESEARCH

VOL. 714 NO. 1,2 **CONTENTS** **1 APRIL 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Publisher's Note vii

Research reports

Morphology of identified corticospinal cells in the rat following motor cortex injury: absence of use-dependent change
G. Prusky and I.Q. Whishaw (Canada) 1

Long-latency responses of brain noradrenergic neurons to noxious stimuli are preferentially attenuated by intravenous morphine
H. Hirata and G. Aston-Jones (USA) 9

Alterations in brain protein kinase C after experimental brain injury
B. Padmaperuma, R. Mark, H.S. Dhillon, M.P. Mattson and M.R. Prasad (USA) 19

Ethanol actions on the mechanisms of Ca^{2+} mobilization in rat hippocampal cells are mediated by protein kinase C
S.L. Mironov and A. Hermann (Austria) 27

Halothane affects both inhibitory and excitatory synaptic transmission at a single identified molluscan synapse, in vivo and in vitro
G.E. Spencer, N.I. Syed, K. Lukowiak and W. Winlow (UK, Canada) 38

Differences in the expression of $GABA_A$ receptors between functionally innervated and non-innervated granule neurons in neonatal rat cerebellar cultures
S. Ueno, J.M. Zempel and J.H. Steinbach (USA) 49

Comparison of cerebrospinal fluid monoamine metabolite levels in dominant-aggressive and non-aggressive dogs
I.R. Reisner, J.J. Mann, M. Stanley, Y.-y. Huang and K.A. Houpt (USA) 57

Heterotrimeric G protein activation rapidly inhibits outgrowth of optic axons from adult and embryonic mouse, and goldfish retinal explants
C.A. Bates and R.L. Meyer (USA) 65

Interaction of nociceptive and non-nociceptive cutaneous afferents from foot sole in common reflex pathways to tibialis anterior motoneurones in humans
A. Rossi, A. Zalaffi and B. Decchi (Italy) 76

Endogenous Alzheimer's brain factor and oxidized glutathione inhibit antagonist binding to the muscarinic receptor
W.H. Frey II, M.M. Najarian, K.S. Kumar, C.R. Emory, P.M. Menning, J.C. Frank, M.N. Johnson and T.A. Ala (USA) 87

Autoradiographic evidence for methamphetamine-induced striatal dopaminergic loss in mouse brain: attenuation in CuZn-superoxide dismutase transgenic mice
H. Hirata, B. Ladenheim, E. Carlson, C. Epstein and J.L. Cadet (USA) 95

Anteroventral third ventricle lesions attenuate pressor responses to serotonin in anesthetized rats
M.S. Muntzel, S.J. Lewis and A.K. Johnson (USA) 104

Neuronal plasticity in aging: a quantitative immunohistochemical study of GAP-43 distribution in discrete regions of the rat brain
T. Casoli, C. Spagna, P. Fattoretti, R. Gesuita and C. Bertoni-Freddari (Italy) 111

Effects of Alzene and tacrine on water maze reference and working memory function in medial septal-lesioned rats
P. Riekkinen Jr., K.L. Mettinger, M. Karukin and M. Riekkinen (Finland, USA) 118

Soleus H-reflex depression induced by ballistic voluntary arm movement in human
T. Kasai and T. Komiyama (Japan) 125

Localisation of NADPH diaphorase activity and NOS immunoreactivity in astroglia in normal adult rat brain
P.L.A. Gabbott and S.J. Bacon (UK) 135

Interactions between excitotoxins and the Na^+/K^+-ATPase inhibitor ouabain in causing neuronal lesions in the rat hippocampus
G.J. Lees and W. Leong (New Zealand) 145

Innate differences in medial septal area burst firing neurons and the hippocampal theta rhythm during ambulation in selectively bred rat lines
T.E. Breen and S.L. Morzorati (USA) 156

Characterization of U-101017 as a $GABA_A$ receptor ligand of dual functionality
H.K. Im, W.B. Im, P.F. Von Voigtlander, D.B. Carter, B.H. Murray and E.J. Jacobsen (USA) 165

The induction of homo- vs. heterosynaptic LTD in area CA1 of hippocampal slices from adult rats
U.V. Staubli and Z.-X. Ji (USA) 169

Transient decrease of acetylcholinesterase in ventral horn neurons caudal to a low thoracic spinal cord hemisection in the adult rat
W. Nacimiento, B. Schlözer, G.A. Brook, L. Tóth, R. Töpper, J. Noth and G.W. Kreutzberg (Germany, Hungary) 177

Effect of intraventricular injections of dihydro-beta-erythroidine (DHβE) on spatial memory in the rat
P. Curzon, J.D. Brioni and M.W. Decker (USA) 185

(contents continued on p. 236)

0006-8993(19960401)714:1/2;1-3

BRAIN RESEARCH

VOL. 714 NO. 1,2 **CONTENTS** **1 APRIL 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Publisher's Note vii

Research reports

Morphology of identified corticospinal cells in the rat following motor cortex injury: absence of use-dependent change
G. Prusky and I.Q. Whishaw (Canada) 1

Long-latency responses of brain noradrenergic neurons to noxious stimuli are preferentially attenuated by intravenous morphine
H. Hirata and G. Aston-Jones (USA) 9

Alterations in brain protein kinase C after experimental brain injury
B. Padmaperuma, R. Mark, H.S. Dhillon, M.P. Mattson and M.R. Prasad (USA) 19

Ethanol actions on the mechanisms of Ca^{2+} mobilization in rat hippocampal cells are mediated by protein kinase C
S.L. Mironov and A. Hermann (Austria) 27

Halothane affects both inhibitory and excitatory synaptic transmission at a single identified molluscan synapse, in vivo and in vitro
G.E. Spencer, N.I. Syed, K. Lukowiak and W. Winlow (UK, Canada) 38

Differences in the expression of $GABA_A$ receptors between functionally innervated and non-innervated granule neurons in neonatal rat cerebellar cultures
S. Ueno, J.M. Zempel and J.H. Steinbach (USA) 49

Comparison of cerebrospinal fluid monoamine metabolite levels in dominant-aggressive and non-aggressive dogs
I.R. Reisner, J.J. Mann, M. Stanley, Y.-y. Huang and K.A. Houpt (USA) 57

Heterotrimeric G protein activation rapidly inhibits outgrowth of optic axons from adult and embryonic mouse, and goldfish retinal explants
C.A. Bates and R.L. Meyer (USA) 65

Interaction of nociceptive and non-nociceptive cutaneous afferents from foot sole in common reflex pathways to tibialis anterior motoneurones in humans
A. Rossi, A. Zalaffi and B. Decchi (Italy) 76

Endogenous Alzheimer's brain factor and oxidized glutathione inhibit antagonist binding to the muscarinic receptor
W.H. Frey II, M.M. Najarian, K.S. Kumar, C.R. Emory, P.M. Menning, J.C. Frank, M.N. Johnson and T.A. Ala (USA) 87

Autoradiographic evidence for methamphetamine-induced striatal dopaminergic loss in mouse brain: attenuation in CuZn-superoxide dismutase transgenic mice
H. Hirata, B. Ladenheim, E. Carlson, C. Epstein and J.L. Cadet (USA) 95

Anteroventral third ventricle lesions attenuate pressor responses to serotonin in anesthetized rats
M.S. Muntzel, S.J. Lewis and A.K. Johnson (USA) 104

Neuronal plasticity in aging: a quantitative immunohistochemical study of GAP-43 distribution in discrete regions of the rat brain
T. Casoli, C. Spagna, P. Fattoretti, R. Gesuita and C. Bertoni-Freddari (Italy) 111

Effects of Alzene and tacrine on water maze reference and working memory function in medial septal-lesioned rats
P. Riekkinen Jr., K.L. Mettinger, M. Karukin and M. Riekkinen (Finland, USA) 118

Soleus H-reflex depression induced by ballistic voluntary arm movement in human
T. Kasai and T. Komiyama (Japan) 125

Localisation of NADPH diaphorase activity and NOS immunoreactivity in astroglia in normal adult rat brain
P.L.A. Gabbott and S.J. Bacon (UK) 135

Interactions between excitotoxins and the Na^+/K^+-ATPase inhibitor ouabain in causing neuronal lesions in the rat hippocampus
G.J. Lees and W. Leong (New Zealand) 145

Innate differences in medial septal area burst firing neurons and the hippocampal theta rhythm during ambulation in selectively bred rat lines
T.E. Breen and S.L. Morzorati (USA) 156

Characterization of U-101017 as a $GABA_A$ receptor ligand of dual functionality
H.K. Im, W.B. Im, P.F. Von Voigtlander, D.B. Carter, B.H. Murray and E.J. Jacobsen (USA) 165

The induction of homo- vs. heterosynaptic LTD in area CA1 of hippocampal slices from adult rats
U.V. Staubli and Z.-X. Ji (USA) 169

Transient decrease of acetylcholinesterase in ventral horn neurons caudal to a low thoracic spinal cord hemisection in the adult rat
W. Nacimiento, B. Schlözer, G.A. Brook, L. Tóth, R. Töpper, J. Noth and G.W. Kreutzberg (Germany, Hungary) 177

Effect of intraventricular injections of dihydro-beta-erythroidine (DHβE) on spatial memory in the rat
P. Curzon, J.D. Brioni and M.W. Decker (USA) 185

(contents continued on p. 236)

0006-8993(19960401)714:1/2;1-3

Mironov, S.L. and Hermann, A.
Ethanol actions on the mechanisms of Ca^{2+} mobilization in rat hippocampal cells are mediated by protein kinase C (714) 27
Morzorati, S.L., see Breen, T.E. (714) 156
Muntzel, M.S., Lewis, S.J. and Johnson, A.K.
Anteroventral third ventricle lesions attenuate pressor responses to serotonin in anesthetized rats (714) 104
Murray, B.H., see Im, H.K. (714) 165

Nacimiento, W., Schlözer, B., Brook, G.A., Tóth, L., Töpper, R., Noth, J. and Kreutzberg, G.W.
Transient decrease of acetylcholinesterase in ventral horn neurons caudal to a low thoracic spinal cord hemisection in the adult rat (714) 177
Najarian, M.M., see Frey II, W.H. (714) 87
Noth, J., see Nacimiento, W. (714) 177

Oda, S.-i., see Dekker-Ohno, K. (714) 226

Padmaperuma, B., Mark, R., Dhillon, H.S., Mattson, M.P. and Prasad, M.R.
Alterations in brain protein kinase C after experimental brain injury (714) 19
Peres, J., see Miralles, F. (714) 192
Pizzella, V., see Kristeva-Feige, R. (714) 201
Prasad, M.R., see Padmaperuma, B. (714) 19
Prusky, G. and Whishaw, I.Q.
Morphology of identified corticospinal cells in the rat following motor cortex injury: absence of use-dependent change (714) 1

Reisner, I.R., Mann, J.J., Stanley, M., Huang, Y.-y. and Houpt, K.A.
Comparison of cerebrospinal fluid monoamine metabolite levels in dominant-aggressive and non-aggressive dogs (714) 57
Riekkinen, M., see Riekkinen Jr., P. (714) 118
Riekkinen Jr., P., Mettinger, K.L., Karukin, M. and Riekkinen, M.
Effects of Alzene and tacrine on water maze reference and working memory function in medial septal-lesioned rats (714) 118
Romani, G.L., see Kristeva-Feige, R. (714) 201
Rossi, A., Zalaffi, A. and Decchi, B.
Interaction of nociceptive and non-nociceptive cutaneous afferents from foot sole in common reflex pathways to tibialis anterior motoneurones in humans (714) 76
Rossi, S., see Kristeva-Feige, R. (714) 201
Rossini, P.M., see Kristeva-Feige, R. (714) 201

Sabato, A., see Kristeva-Feige, R. (714) 201
Schlözer, B., see Nacimiento, W. (714) 177
Shinoda, H., see Taniwaki, T. (714) 231
Solsona, C., see Miralles, F. (714) 192
Spagna, C., see Casoli, T. (714) 111
Spencer, G.E., Syed, N.I., Lukowiak, K. and Winlow, W.
Halothane affects both inhibitory and excitatory synaptic transmission at a single identified molluscan synapse, in vivo and in vitro (714) 38
Stanley, M., see Reisner, I.R. (714) 57
Staubli, U.V. and Ji, Z.-X.
The induction of homo- vs. heterosynaptic LTD in area CA1 of hippocampal slices from adult rats (714) 169
Steinbach, J.H., see Ueno, S. (714) 49
Syed, N.I., see Spencer, G.E. (714) 38

Takagishi, Y., see Dekker-Ohno, K. (714) 226
Taniwaki, T., Shinoda, H., Kaseda, Y., Kato, M. and Goto, I.
Increased preproenkephalin mRNA and preprotachykinin mRNA in the striatum of Rolling mouse Nagoya (714) 231
Tecchio, F., see Kristeva-Feige, R. (714) 201
Töpper, R., see Nacimiento, W. (714) 177
Tóth, L., see Nacimiento, W. (714) 177
Tsolaki, M., see Gorgias, N. (714) 215

Ueno, S., Zempel, J.M. and Steinbach, J.H.
Differences in the expression of $GABA_A$ receptors between functionally innervated and non-innervated granule neurons in neonatal rat cerebellar cultures (714) 49

Von Voigtlander, P.F., see Im, H.K. (714) 165

Wakasugi, N., see Dekker-Ohno, K. (714) 226
Whishaw, I.Q., see Prusky, G. (714) 1
Winlow, W., see Spencer, G.E. (714) 38

Yamamura, H., see Dekker-Ohno, K. (714) 226

Zalaffi, A., see Rossi, A. (714) 76
Zapater, P., see Maroto, R. (714) 209
Zempel, J.M., see Ueno, S. (714) 49

(contents continued)

Niflumic acid-induced increase in potassium currents in frog motor nerve terminals: effects on transmitter release
F. Miralles, J. Marsal, J. Peres and C. Solsona (Spain) 192
Changes in movement-related brain activity during transient deafferentation: a neuromagnetic study
R. Kristeva-Feige, S. Rossi, V. Pizzella, A. Sabato, F. Tecchio, B. Feige, G.L. Romani, J. Edrich and P.M. Rossini (Germany, Italy) 201
Effects of ω-conotoxin MVIIC on veratridine-induced cytotoxicity and cytosolic Ca^{2+} oscillations
R. Maroto, M.-T. De la Fuente, P. Zapater, F. Abad, E. Esquerro and A.G. García (Spain) 209
Hypoxic pretreatment protects against neuronal damage of the rat hippocampus induced by severe hypoxia
N. Gorgias, P. Maidatsi, M. Tsolaki, A. Alvanou, G. Kiriazis, K. Kaidoglou and M. Giala (Greece) 215

Short communications

Endoplasmic reticulum is missing in dendritic spines of Purkinje cells of the ataxic mutant rat
K. Dekker-Ohno, S. Hayasaka, Y. Takagishi, S.-i. Oda, N. Wakasugi, K. Mikoshiba, M. Inouye and H. Yamamura (Japan) 226
Increased preproenkephalin mRNA and preprotachykinin mRNA in the striatum of Rolling mouse Nagoya
T. Taniwaki, H. Shinoda, Y. Kaseda, M. Kato and I. Goto (Japan) 231

Author Index 235